

Loctite[®] Magna-Crete repairs concrete in one hour!

Issue: From the construction of bridges and highways to the industrial floors found in manufacturing, processing, and distribution centers, concrete is a strong, yet porous building material that is easily chipped or cracked. These cracks can be both unsightly and hazardous.

Application: Loctite[®] Magna-Crete cures faster than concrete, and unlike concrete, it bonds to new and old concrete, as well as most construction materials including wood and steel. Since Loctite[®] Fixmaster[®] Magna-Crete does not use a water additive, this repair system can be applied at virtually any temperature without shrinkage and is freeze/thaw and deicing salt resistant.

Repair concrete on highway walls, pot holes, airport runways, anchoring machinery, commercial refrigeration floors, loading docks, grouting bedplates and soleplates, columns and bridge decks, parking structure joints, concrete pillars, floor repairs, ramps, rail grouting, anchoring bolts and handrails. Ready for service in just one hour!

Recommendation: Grainger offers one gallon and five gallon sizes to meet the most diverse application requirements. Use in applications with an operating range of -26C to +1090C. One gallon covers 4.8ft² @0.25 in thick/10 lb; five gallon pail covers 21.6 ft² @0.25 in thick/45 lb.



LOCTITE[®]

Information provided by
Henkel Corporation
Loctite Industrial Group.
For more information about
Loctite[®] Magna-Crete,
please contact your
Grainger Representative.

Ordering Information

Package Size	Grainger Part #
1 gallon kit	2VRN1
5 gallon kit	2VRN2
Winter Additive	2VRN3
Summer Additive	2VRN4

